

- Home
- Dashboard
- Inbox
- Products
- Report
- Remote Viewing
- Chat Room
- Calendar
- Help Center
- Settings

## Remote Viewing - Rig: Discoverer Clear Leader | Well - WR578-PS004ST001

System Monitoring

**Bop/Casing Testing**


**8,500 psi**

**1.1 bbl**

**Benchmark**  
Step 2  
Attempt 1a  
< 15 psi/5 min

Site Monitoring

Testing: In Progress

Test Sequence

2	4	5	6	7	8
11,500 psi	11,500 psi	11,500 psi	11,500 psi	11,500 psi	11,500 psi
4.0 bbl	4.0 bbl	4.0 bbl	4.0 bbl	4.0 bbl	4.0 bbl
BOP/Casing	BOP/Casing	BOP/Casing	BOP/Casing	BOP/Casing	BOP/Casing

Activity

**Tested Components**

Kelly Hose, Standpipe Valve-B, LIK-L, Lo-Touq-2-T, Lo-Touq-3-T, Lo-Touq-6-B, UIK-L, V-10-R, V-12-L, V-14-B

**HP < 15 psi / 5 min** Trend

- Home
- Dashboard
- Inbox
- Products
- Report
- Remote Viewing
- Chat Room
- Calendar
- Help Center
- Settings

# Remote Viewing - Rig: Discoverer Clear Leader | Well - WR578-PS004ST001

System Monitoring

**Bop/Casing Testing**


8,500 psi

**Benchmark**  
Step 2  
Attempt 1a  
< 15 psi/5 min

1.1 bbl

Site Monitoring

Testing: In Progress

- Home
- Dashboard
- Inbox
- Products
- Report
- Remote Viewing
- Chat Room
- Calendar
- Help Center
- Settings

## Remote Viewing - Rig: Discoverer Clear Leader | Well - WR578-PS004ST001

System Monitoring

**Bop/Casing Testing**

**8,500 psi**

**1.1 bbl**


**Benchmark**  
Step 2  
Attempt 1a  
< 15 psi/5 min

Site Monitoring

Testing: In Progress



Forecasting & Benchmarking

### Activity

Host	Rig	Well	Completion Date	Test Type	Next Test
3ipt.local.TX-HOU-648VR32	Rig 1	Well 1	2019-07-07	BOP	11 Days

Critical Path Time Savings

**58 Hours**

↑ 13.8%

